

**Notice Type:**

**Location:**

**Subject Title:**

**Corridor/line:**

**Control Board:**

**Effective From:**  **Time1:**

**Effective To:**  **Time2:**

**General Details / Operating Condition:**

The following altered safeworking protection arrangements will be permitted in conjunction with the Hunter Valley Local Possession Authorities.

To allow for works to occur on the ARTC Network up to and over the Private Line Maintenance Interface Boundaries as described in the applicable Safety Interface Agreements as listed below, it will be permissible to conduct the works with the following safeworking arrangements.

**Safeworking Arrangements:**

**Additional Details:**

In exception to the applicable Safety Interface Agreements (IA), a Local Possession Authority will be authorised up to the Maintenance Interface Boundaries as detailed below.

In exception to ARTC Network Rule ANWT 302 Local Possession Authority and Procedure ANPR 700 Using a Local Possession Authority, where worksites are located less than 500m from the end limit of the Local Possession Authority (LPA) and the lines are located adjoining Private lines, it will be permissible to work within 500m of the limit of the LPA without a Work on Track Authority adjoining the end limit.

A STOP Sign/Red Light must be placed a minimum of 500m from the worksite on the Private Line with agreement from the Private Line Owner.

Where rail traffic is located within the Private Line and the STOP Sign/Red Light cannot be placed a minimum of 500m from the worksite, a STOP Sign/Red Light must be placed at the controlled absolute signal in front of the rail traffic preventing entry to the worksite.

**NOTE:** Tracks within the Local Possession Authority must be protected as per ANPR 700 Using a Local Possession Authority.

Private Line	Interface Agreement Number
Bloomfield Coal	IA 1508
Camberwell Branch Line	IA 1630
Mount Owen Branch Line	IA 1629
Ashton Siding	IA 1608
Ravensworth Branch Line	IA 1627
Newdell/Liddell Hunter Valley Branch	IA 1621
Draytons Branch Line	IA 1625

**Before the commencement of works:****Possession Protection Officer**

The Possession Protection Officer must gain an assurance from the Private Line Owner that an isolation has not or will be granted on the Private Line for the duration of works.

Where an isolation has been granted, works cannot be undertaken on the points up to the maintenance interface boundary until agreed arrangements are obtained between the Possession Protection Officer and the private line owner and controls are implemented and documented.

**Protection Officer**

The Protection Officer must:

- obtain an assurance from the Private Line Owner that rail traffic located within the Private Line is stabled and will not be moved, and
- Obtain an assurance from the PPO that an isolation has not and will not be taken for the duration of the works, and
- have agreed protection arrangements with the Private Line Owner for the works to be undertaken safely when working within 500m of the Private Line, and
- tell the Network Controller of the works to occur within 500m of the LPA Limits, and the agreed arrangements with the Private Line Owner, and
- tell the Possession Protection Officer of the agreed arrangements with the Private Line Owner and that rail traffic within the private line is stabled and will not be moved, and
- place a STOP Sign/Red Light a minimum of 500m from the worksite on the Private Line, **or**
- place a STOP Sign/Red Light at the controlled absolute signal in front of the rail traffic.

**At the completion of works:****Protection Officer**

The Protection Officer must remove the STOP Sign/Red Light, and tell the Private Line Owner, Network Controller and Possession Protection Officer the works are completed, and protection has been removed.

Recipients must ensure this Notice is circulated to and understood by all personnel affected by, or needing to know, its content.

This Notice must be issued to all affected Competent Workers.

Competent Workers who receive this Notice must follow the requirements.

**Contact Details:**

Contact:	Possession Protection Officer South	Contact No.	4927 7020
Contact:	Bloomfield Coal	Contact No.	Bloomfield (OCE) – 0407 938 002
Contact:	Camberwell Branch Line	Contact No.	Days - Chad Lizdenis (0411 872 382) Nights - Rix's Creek North OCE (0437 199 724)
Contact:	Mount Owen Branch Line	Contact No.	CHPP Shift Supervisor 0417 943 433
Contact:	Ashton Siding	Contact No.	CHPP Shift Supervisor – 0437 038 334, or CHPP Control Room – 6570 9151
Contact:	Ravensworth Branch Line	Contact No.	Dan Hallam 0429 405 345
Contact:	Newdell/Liddell Hunter Valley Branch	Contact No.	Maintenance Planner - 0411781234
Contact:	Draytons Branch Line	Contact No.	Peter Hodgson 0408 604 908

**Approval:**

Approved by:  Date:

NOTE: Remove unused fields